



Encore's G.729AB

Processor

FreeScale ColdFire (MCF52xx) Series.

Technology

G.729 Annex A with Annex B (G.729AB) is a low bit rate speech coder standard from International Telecommunication Union–Telecommunication standardization sector (ITU-T), for compressing toll quality speech (8000 samples/second). G.729AB is algorithmically simpler to G.729. The coders G.729 and G.729A are inter-operable, i.e., G.729 packet can be decoded by G.729A decoder and vice versa. The typical applications of this speech coder are in telephony over packet networks, like Voice-over-Internet-Protocol (VoIP). This is a very robust speech coder, with very good speech quality comparable to 32 Kbps ADPCM coder.

This coder works at bit rate of 8000 bits/second. Like G.729 Codec, G.729AB is also based on the principle of Complementary Symmetry - Algebraic Code Excited Linear Prediction (CS-ACELP). The coder works on a frame of 80 speech samples (10 msec). Besides, there is a look ahead of 40 samples (5 msec). So the total algorithmic delay for the coder is 15 msec.

Features

- Fully compatible/bit-exact with the ITU-T G.729A standard with Annex B, version 1.1, with discontinuous transmission (DTX) support, using Voice Activity Detection (VAD) and Comfort Noise Generation (CNG).
- DTX (VAD/CNG) enabling or disabling can be done on a frame basis.
- Full duplex multi-channel capability.
- Flexible interface with 'C' callability, with a single archive file for all functions.
- Built-in scratch memory management to avoid run-time overloading of system stack memory.
- Relocatable program and data spaces. Static (state) and scratch data spaces are dynamically relocatable.
- The code is interruptible and full re-entrant. It can be used in systems with multi threaded software architecture.

Performance

Resource Requirements

Memory (KBytes)

Program Memory	Data Memory			MHz
	Table	Static	Scratch	
58.36	6.7	2.5	2.77	VAD Enable: 35 Encoder: 28 + Decoder: 7 VAD Disable: 35 Encoder: 28 + Decoder: 7

Note: MIPS measurements are taken on **MCF5249** based target platform with code, tables, static data, scratch data and stack in internal memory.

Availability
Now.

For further information please visit our web site, <http://www.ncoretech.com> or email to: ip@ncoretech.com or contact:

Encore Software Limited
6th Floor Leo Complex
44 & 45 Residency Cross Road
Bangalore 560 025, INDIA
Tel: +91-80-4112 4291 to 95
Fax: +91-80-2558 7690